

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: markspencer

Timestamp: [year=2008; month=9; day=5; hr=15; min=45; sec=8; ms=421;]

=====

Application No: 10522810 Version No: 2.0

Input Set:**Output Set:**

Started: 2008-08-01 16:48:42.696
Finished: 2008-08-01 16:48:46.567
Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 871 ms
Total Warnings: 78
Total Errors: 0
No. of SeqIDs Defined: 95
Actual SeqID Count: 95

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 402	Undefined organism found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)
W 402	Undefined organism found in <213> in SEQ ID (21)
W 213	Artificial or Unknown found in <213> in SEQ ID (22)
W 213	Artificial or Unknown found in <213> in SEQ ID (24)
W 213	Artificial or Unknown found in <213> in SEQ ID (26)
W 213	Artificial or Unknown found in <213> in SEQ ID (28)
W 213	Artificial or Unknown found in <213> in SEQ ID (30)
W 213	Artificial or Unknown found in <213> in SEQ ID (32)
W 213	Artificial or Unknown found in <213> in SEQ ID (34)
W 213	Artificial or Unknown found in <213> in SEQ ID (36)

Input Set:

Output Set:

Started: 2008-08-01 16:48:42.696
Finished: 2008-08-01 16:48:46.567
Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 871 ms
Total Warnings: 78
Total Errors: 0
No. of SeqIDs Defined: 95
Actual SeqID Count: 95

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (38)
W 213	Artificial or Unknown found in <213> in SEQ ID (39) This error has occurred more than 20 times, will not be displayed
W 402	Undefined organism found in <213> in SEQ ID (94)
W 402	Undefined organism found in <213> in SEQ ID (95)

SEQUENCE LISTING

<110> ALVAREZ, Vernon L.
GONDA, Matthew A.

<120> Treatment of Cell Proliferative Disorders with Chlorotoxin

<130> 2006636-0011

<140> 10522810

<141> 2005-09-20

<150> US 60/406,033

<151> 2002-08-27

<150> PCT/US03/17411

<151> 2003-06-02

<150> US 60/384,171

<151> 2002-05-31

<160> 95

<170> PatentIn version 3.5

<210> 1

<211> 36

<212> PRT

<213> Leiurus quinquestriatus

<220>

<221> misc_feature

<223> Chlorotoxin

<400> 1

Met	Cys	Met	Pro	Cys	Phe	Thr	Thr	Asp	His	Gln	Met	Ala	Arg	Lys	Cys
1				5					10					15	

Asp	Asp	Cys	Cys	Gly	Gly	Lys	Gly	Arg	Gly	Lys	Cys	Tyr	Gly	Pro	Gln
		20						25					30		

Cys	Leu	Cys	Arg
			35

<210> 2

<211> 42

<212> PRT

<213> Leiurus quinquestriatus

<400> 2

His His His His His His Met Cys Met Pro Cys Phe Thr Thr Asp His
1 5 10 15

Gln Met Ala Arg Lys Cys Asp Asp Cys Cys Gly Gly Lys Gly Arg Gly
20 25 30

Lys Cys Tyr Gly Pro Gln Cys Leu Cys Arg
35 40

<210> 3
<211> 37
<212> PRT
<213> Leiurus quinquestriatus

<400> 3

Tyr Met Cys Met Pro Cys Phe Thr Thr Asp His Gln Met Ala Arg Lys
1 5 10 15

Cys Asp Asp Cys Cys Gly Gly Lys Gly Arg Gly Lys Cys Tyr Gly Pro
20 25 30

Gln Cys Leu Cys Arg
35

<210> 4
<211> 39
<212> PRT
<213> Leiurus quinquestriatus

<400> 4

Tyr Ser Tyr Met Cys Met Pro Cys Phe Thr Thr Asp His Gln Met Ala
1 5 10 15

Arg Lys Cys Asp Asp Cys Cys Gly Gly Lys Gly Arg Gly Lys Cys Tyr
20 25 30

Gly Pro Gln Cys Leu Cys Arg
35

<210> 5
<211> 36
<212> PRT
<213> Artificial sequence

<220>
<223> Chlorotoxin variant

<400> 5

Met Cys Met Pro Cys Phe Thr Thr Asp His Gln Met Ala Arg Lys Cys
1 5 10 15

Asp Asp Cys Cys Gly Gly Lys Gly Arg Gly Lys Cys Phe Gly Pro Gln
20 25 30

Cys Leu Cys Arg
35

<210> 6

<211> 35

<212> PRT

<213> Artificial sequence

<220>

<223> Chlorotoxin variant

<400> 6

Arg Cys Lys Pro Cys Phe Thr Thr Asp Pro Gln Met Ser Lys Lys Cys
1 5 10 15

Ala Asp Cys Cys Gly Gly Lys Gly Lys Gly Lys Cys Tyr Gly Pro Gln
20 25 30

Cys Leu Cys
35

<210> 7

<211> 38

<212> PRT

<213> Artificial sequence

<220>

<223> Chlorotoxin variant

<400> 7

Arg Cys Ser Pro Cys Phe Thr Thr Asp Gln Gln Met Thr Lys Lys Cys
1 5 10 15

Tyr Asp Cys Cys Gly Gly Lys Gly Lys Gly Lys Cys Tyr Gly Pro Gln
20 25 30

Cys Ile Cys Ala Pro Tyr
35

<210> 8
<211> 7
<212> PRT
<213> Leiurus quinquestriatus

<220>
<221> misc_feature
<223> Derivative of Chlorotoxin: amino acid residues 23-29

<400> 8

Lys Gly Arg Gly Lys Ser Tyr
1 5

<210> 9
<211> 7
<212> PRT
<213> Leiurus quinquestriatus

<220>
<221> misc_feature
<223> Derivative of Chlorotoxin: amino acid residues 8-14

<400> 9

Thr Asp His Gln Met Ala Arg
1 5

<210> 10
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Chlorotoxin alpha peptide

<400> 10

Thr Asp His Gln Met Ala Arg Lys Ser
1 5

<210> 11
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Variant of chlorotoxin alpha peptide

<400> 11

Thr Ala His Ala Met Ala Arg Lys Ser
1 5

<210> 12
<211> 36
<212> PRT
<213> Artificial sequence

<220>
<223> Variant peptide of chlorotoxin

<400> 12

Met Cys Met Pro Cys Phe Thr Thr Ala His Ala Met Ala Arg Lys Cys
1 5 10 15

Asp Asp Cys Cys Gly Gly Lys Gly Arg Cys Lys Cys Tyr Gly Pro Gln
20 25 30

Cys Leu Cys Arg
35

<210> 13
<211> 9
<212> PRT
<213> Artificial

<220>
<223> motif for chlorotoxin derivatives

<220>
<221> Variant
<222> (3)..(3)
<223> Xaa = Asp or Glu

<220>
<221> Variant
<222> (4)..(4)
<223> Xaa = Ala, Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Lys,
Met, Phe, Pro, Ser, Thr, Trp, Tyr or Val

<220>
<221> Variant
<222> (5)..(5)
<223> Xaa = Asn or Gln

<220>
<221> Variant
<222> (7)..(7)
<223> Xaa = Ser, Thr, or Ala

<220>
<221> Variant
<222> (8)..(8)
<223> Xaa = His, Lys, or Arg

<400> 13

Thr Thr Xaa Xaa Xaa Met Xaa Xaa Lys
1 5

<210> 14
<211> 9
<212> PRT
<213> Leiurus quinquestriatus

<400> 14

Thr Thr Asp His Gln Met Ala Arg Lys
1 5

<210> 15
<211> 35
<212> PRT
<213> Mesobuthus tamulus

<400> 15

Arg Cys Lys Pro Cys Phe Thr Thr Asp Pro Gln Met Ser Lys Lys Cys
1 5 10 15

Ala Asp Cys Cys Gly Gly Lys Gly Lys Gly Lys Cys Tyr Gly Pro Gln
20 25 30

Cys Leu Cys
35

<210> 16
<211> 34
<212> PRT
<213> Artificial sequence

<220>
<223> Small Toxin consensus sequence

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be Met or Lys

<220>
<221> MISC_FEATURE

<222> (9)..(9)
<223> Xaa can be His or Pro

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa can be Asp or Ala

<400> 16

Cys Xaa Pro Cys Phe Thr Thr Asp Xaa Gln Met Ala Lys Lys Cys Xaa
1 5 10 15

Asp Cys Cys Gly Gly Lys Gly Lys Gly Lys Cys Tyr Gly Pro Gln Cys
20 25 30

Leu Cys

<210> 17
<211> 38
<212> PRT
<213> Leiurus quinquestriatus

<400> 17

Arg Cys Ser Pro Cys Phe Thr Thr Asp Gln Gln Met Thr Lys Lys Cys
1 5 10 15

Tyr Asp Cys Cys Gly Gly Lys Gly Lys Gly Lys Cys Tyr Gly Pro Gln
20 25 30

Cys Ile Cys Ala Pro Tyr
35

<210> 18
<211> 34
<212> PRT
<213> Artificial sequence

<220>
<223> Probable Toxin LQH 8/6 consensus sequence

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be Met or Ser

<220>
<221> MISC_FEATURE

<222> (9)..(9)
<223> Xaa can be His or Gln

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be Ala or Thr

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa can be Asp or Tyr

<400> 18

Cys Xaa Pro Cys Phe Thr Thr Asp Xaa Gln Met Xaa Lys Lys Cys Xaa
1 5 10 15

Asp Cys Cys Gly Gly Lys Gly Lys Gly Lys Cys Tyr Gly Pro Gln Cys
20 25 30

Ile Cys

<210> 19
<211> 61
<212> PRT
<213> Mesobuthus martensii

<220>
<221> MISC_FEATURE
<222> (1)..(61)
<223> Xaa can be any amino acid

<400> 19

Met Lys Phe Leu Tyr Gly Ile Val Phe Ile Ala Leu Phe Leu Thr Val
1 5 10 15

Met Phe Ala Thr Gln Thr Asp Gly Cys Gly Pro Cys Phe Thr Thr Asp
20 25 30

Ala Asn Met Ala Arg Lys Cys Arg Glu Cys Cys Gly Gly Ile Gly Xaa
35 40 45

Xaa Lys Cys Phe Gly Pro Gln Cys Leu Cys Asn Arg Ile
50 55 60

<210> 20

<211> 34
<212> PRT
<213> Artificial sequence

<220>
<223> Chinese Scorpion consensus sequence

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be Met or Gly

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be His or Ala

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa can be Asp or Arg

<220>
<221> MISC_FEATURE
<222> (22)..(22)
<223> Xaa can be Lys or Ile

<220>
<221> MISC_FEATURE
<222> (24)..(25)
<223> Xaa can be any amino acid

<400> 20

Cys Xaa Pro Cys Phe Thr Thr Asp Xaa Asn Met Ala Arg Lys Cys Xaa
1 5 10 15

Asp Cys Cys Gly Gly Xaa Gly Xaa Xaa Lys Cys Phe Gly Pro Gln Cys
20 25 30

Leu Cys

<210> 21
<211> 59
<212> PRT
<213> Mesobuthus martensii

<400> 21

Met Lys Phe Leu Tyr Gly Ile Val Phe Ile Ala Leu Phe Leu Thr Val
1 5 10 15

Met Phe Ala Thr Gln Thr Asp Gly Cys Gly Pro Cys Phe Thr Thr Asp
20 25 30

Ala Asn Met Ala Arg Lys Cys Arg Glu Cys Cys Gly Gly Ile Gly Lys
35 40 45

Cys Phe Gly Pro Gln Cys Leu Cys Asn Arg Ile
50 55

<210> 22

<211> 32

<212> PRT

<213> Artificial sequence

<220>

<223> Chinese Scorpion consensus sequence

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be Met or Gly

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be His or Ala

<220>

<221> MISC_FEATURE

<222> (16)..(16)

<223> Xaa can be Asp or Arg

<220>

<221> MISC_FEATURE

<222> (22)..(22)

<223> Xaa can be Lys or Ile

<220>

<221> MISC_FEATURE

<222> (25)..(25)

<223> Xaa can be Gly or Cys

<220>

<221> MISC_FEATURE

<222> (26)..(26)

<223> Xaa can be Lys or Phe

<220>

<221> MISC_FEATURE

<222> (27)..(27)

<223> Xaa can be Cys or Gly

<220>

<221> MISC_FEATURE

<222> (28)..(28)

<223> Xaa can be Tyr or Pro

<220>

<221> MISC_FEATURE

<222> (29)..(29)

<223> Xaa can be Gly or Gln

<220>

<221> MISC_FEATURE

<222> (30)..(30)

<223> Xaa can be Pro or Cys

<220>

<221> MISC_FEATURE

<222> (31)..(31)

<223> Xaa can be Gln or Leu

<400> 22

Cys	Xaa	Pro	Cys	Phe	Thr	Thr	Asp	Xaa	Asn	Met	Ala	Arg	Lys	Cys	Xaa
1				5					10					15	

Asp	Cys	Cys	Gly	Gly	Xaa	Gly	Lys	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Cys
			20					25						30	

<210> 23

<211> 37

<212> PRT

<213> Mesobuthus eupeus

<220>

<221> MISC_FEATURE

<222> (1)..(37)

<223> Xaa can be any amino acid

<400> 23

Met	Cys	Met	Pro	Cys	Phe	Thr	Thr	Asp	Pro	Asn	Met	Ala	Asn	Lys	Cys
1				5					10					15	

Arg	Asp	Cys	Cys	Gly	Gly	Xaa	Gly	Lys	Xaa	Lys	Cys	Phe	Gly	Pro	Gln
				20					25					30	

Cys	Leu	Cys	Asn	Arg
				35

<210> 24

<211> 35

<212> PRT
<213> Artificial sequence

<220>
<223> Insect toxin I5 consensus sequence

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be His or Pro

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa can be Arg or Asn

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Xaa can be Asp or Arg

<220>
<221> MISC_FEATURE
<222> (23)..(26)
<223> Xaa can be any amino acid

<400> 24

Met Cys Met Pro Cys Phe Thr Thr Asp Xaa Asn Met Ala Xaa Lys Cys
1 5 10 15

Xaa Asp Cys Cys Gly Gly Xaa Gly Lys Xaa Lys Cys Phe Gly Pro Gln
20 25 30

Cys Leu Cys
35

<210> 25
<211> 35
<212> PRT
<213> Mesobuthus eupeus

<400> 25

Met Cys Met Pro Cys Phe Thr Thr Asp Pro Asn Met Ala Asn Lys Cys
1 5 10 15

Arg Asp Cys Cys Gly Gly Gly Lys Lys Cys Phe Gly Pro Gln Cys Leu
20 25 30

Cys Asn Arg

<210> 26
<211> 33
<212> PRT
<213> Artificial sequence

<220>
<223> Insect toxin I5 consensus sequence

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be His or Pro

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa can be Arg or Asn

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Xaa can be Asp or Arg

<220>
<221> MISC_FEATURE
<222> (23)..(24)
<223> Xaa can be Lys or Gly

<220>
<221> MISC_FEATURE
<222> (26)..(26)
<223> Xaa can be Gly or Cys

<220>
<221> MISC_FEATURE
<222> (27)..(27)
<223> Xaa can be Lys or Phe

<220>
<221> MISC_FEATURE
<222> (28)..(28)
<223> Xaa can be Cys or Gly

<220>
<221> MISC_FEATURE
<222> (29)..(29)
<223> Xaa can be Tyr or Pro

<220>
<221> MISC_FEATURE
<222> (30)..(30)
<223> Xaa can be Gly or Gln

<220>

<221> MISC_FEATURE

<222> (31)..(31)

<223> Xaa can be Pro or Cys

<220>

<221> MISC_FEATURE

<222> (32)..(32)

<223> Xaa can be Gln or Leu

<400> 26

Met Cys Met Pro Cys Phe Thr Thr Asp Xaa Asn Met Ala Xaa Lys Cys
1 5 10 15

Xaa Asp Cys Cys Gly Gly Xaa Xaa Lys Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Cys

<210> 27

<211> 38

<212> PRT

<213> Mesobuthus eupeus

<220>

<221> MISC_FEATURE

<222> (1)..(38)

<223> Xaa can be any amino acid

<400> 27

Met Cys Met Pro Cys Phe Thr Thr Arg Pro Asp Met Ala Gln Gln Cys
1 5 10 15

Arg Ala Cys Cys Lys Gly Xaa Xaa Arg Gly Lys Cys Phe Gly Pro Gln
20 25 30

Cys Leu Cys Gly Tyr Asp
35

<210> 28

<211> 35

<212> PRT

<213> Artificial sequence

<220>

<223> Insectotoxin Il consensus sequence

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be Asp or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be His or Pro

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be Gln or Asp

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa can be Arg or Gln

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Xaa can be Lys or Gln

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Xaa can be Asp or Arg

<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> Xaa can be Asp or Ala

<220>
<221> MISC_FEATURE
<222> (21)..(21)
<223> Xaa can be Gly or Lys

<220>
<221> MISC_FEATURE
<222> (23)..(24)
<223> Xaa can be any amino acid

<400> 28

Met Cys Met Pro Cys Phe Thr Thr Xaa Xaa Xaa Met Ala Xaa Xaa Cys
1 5 10 15

Xaa Xaa Cys Cys Xaa Gly Xaa Xaa Arg Gly Lys Cys Phe Gly Pro Gln
20 25 30

Cys Leu Cys

<210> 29
 <211> 36
 <212> PRT
 <213> Mesobuthus eupeus

<400> 29

Met Cys Met Pro Cys Phe Thr Thr Arg Pro Asp Met Ala Gln Gln Cys
 1 5 10 15

Arg Ala Cys Cys Lys Gly Arg Gly Lys Cys Phe Gly Pro Gln Cys Leu
 20 25 30

Cys Gly Tyr Asp
 35

<210> 30
 <211> 33
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Insectotoxin Il consensus sequence

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa can be Asp or Arg

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa can be His or Pro

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa can be Gln or Asp

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa can be Arg or Gln

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Xaa can be Lys or Gln

<220>

<221> MISC_FEATURE
<222> (17)..(17)
<223> Xaa can be Asp or Arg

<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> Xaa can be Asp or Arg

<220>
<221> MISC_FEATURE
<222> (21)..(21)
<223> Xaa can be Gly or Lys

<220>
<221> MISC_FEATURE
<222> (26)..(26)
<223> Xaa can be Gly or Cys

<220>
<221> MISC_FEATURE
<222> (27)..(27)
<223> Xaa can be Lys or Phe

<220>
<221> MISC_FEATURE
<222> (28)..(28)
<223> Xaa can be Cys or Gly

<220>
<221> MISC_FEATURE
<222> (29)..(29)
<223> Xaa can be Tyr or Pro

<220>
<221> MISC_FEATURE
<222> (30)..(30)
<223> Xaa can be Gly or Gln

<220>
<221> MISC_FEATURE
<222> (31)..(31)
<223> Xaa can be Pro or Cys

<220>
<221> MISC_FEATURE
<222> (32)..(32)
<223> Xaa can be Gln or Leu

<400> 30

Met Cys Met Pro Cys Phe Thr Thr Xaa Xaa Xaa Met Ala Xaa Xaa Cys
1 5 10 15

Xaa Xaa Cys Cys Xaa Gly Lys Gly Lys Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Cys

<210> 31

<211> 37

<212> PRT

<213> Mesobuthus eupeus

<220>

<221> MISC_FEATURE

<222> (1)..(37)

<223> Xaa can be any amino acid

<400> 31

Met Cys Met Pro Cys Phe Thr Thr Asp Pro Asn Met Ala Lys Lys Cys

1